

CYLINDERS
HIGH-TECH
VALVES
AIR TREATMENT
ACCESSORIES




AUTOMOTIVE

POWER CLAMPS
PIN UNITS
PIN CLAMPS
GRIPPER UNITS
POWER PIVOTS
MARKING UNITS
ELECTRIC UNITS



MODULAR TOOLING SYSTEM

GR8 TOOLING













Early stages

Pneumatic

Automotive

GR8 Tooling



UNIVER has started its activity in the field of industrial automation during the 1970s, with the production of its first series of pneumatic valves and poppet valves for vacuum.



In the following decades, the widening range of technologically advanced and original pneumatic components has allowed the continuous growth and development of the company, which has become one of the major Italian businesses in the production of industrial automation equipment.



In 2000, after many years of experience in the supply of pneumatic components to the automotive market, the Automotive Division was created, thus developing numbers of solutions for BIW in the automotive industry.



New entry, the Division of Modular Tooling Systems (GR8) represents the new challenge in the press field and handling of metal sheets in Automotive and Industrial Automation.

Some of our customers

























































Electronic

Univer Service

Univer Group



The Electronic Division, supporting both Pneumatic Automation and Automotive divisions, is specialized in the study, design and manufacturing of the electric and electronic devices which are integrated in UNIVER products.



In Italy, the commercial company UNIVER SERVICE S.r.I. controls the domestic market and guarantees a quick and efficient service, thanks to different operational offices and distributors in the whole country.




The UNIVER Group has many direct branches and an active distribution network covering the most important industrialized areas.











Innovation
Research and Development
Quality
Training
Communication













STANDARDS-BASED CYLINDERS

M

Microcylinders **ISO 6432** Ø8 ÷ 25 mm KL

Pneumatic Cylinders ISO 15552 Ø32 ÷ 125 mm CLEAN PROFILE KE/K

Pneumatic Cylinders ISO 15552 Ø32 ÷ 125 mm







STANDARDS-BASED COMPACT CYLINDERS

RP/RM

UNITOP Compact Cylinders (RP Ø16 \div 63 mm), **ISO 21287** (RM Ø16 \div 100 mm)

RO/RN

UNITOP Compact Cylinders (RO Ø16 \div 63 mm), **ISO 21287** (RN Ø16 \div 63 mm) - Octagonal tube **NON-ROTATING**









OVAL/SHORT STROKE/ROTARY CYLINDERS

OV

Oval cylinder Ø18 ÷ 80 mm W

Short stroke cylinders Ø12 ÷ 100 mm TUBE NEW DESIGN F

Pneumatic Rotary Actuators $Ø32 \div 125 \text{ mm}$











CYLINDERS

KD

Pneumatic Cylinders ISO 15552 Ø32 ÷ 125 mm HEAVY SERIES TUBE

K

Pneumatic Cylinders **ISO 15552** Ø160/200 - 250/320 mm



RS

STRONG Compact Cylinders Ø32 ÷ 100 mm

RQ

STRONG Compact Cylinders Ø32 ÷ 100 mm - Octagonal Tube NON-ROTATING





SENSORS

MP

Clamping cylinder

DF/DH

Magnetic and Electronic Proximity Sensors





KL

CLEAN PROFILE

Easier to clean

QUICK INSTALLATION

Sensors and connections on one side

UNIVER TECHNOLOGY

Strong and Reliable

ISO 15552

Interchangeability





RODLESS CYLINDERS

S1

Rodless Cylinders standard version $\emptyset 16 \div 50 \text{ mm}$



S5

Rodless Cylinders with integrated guides $\emptyset 25 \div 50 \text{ mm}$



GUIDED CYLINDERS

J1

Slide Units for pneumatic cylinders M, KE/K, KD series



Slide Units for rodless cylinders S1 series



Slide Units for STRONG compact cylinders RS series







J65

Slide Units for compact cylinders RP Ø25 series



JLS/JLV

Guided Compact Cylinders Bearings (JLS) - Ball bushing (JLV)











VL1

Rodless Cylinders with 90° integrated guides $\emptyset 25 \div 50 \text{ mm}$ Sliding on ball bearings





J64RT2

Slide Units for telescopic cylinders RT2 series



JT/JX

Guided Slides





PNEUMATIC AUTOMATION

CYLINDERS

S1/S5/VL1

UNIVER Original since 1988



- A Internal strip (seal)
- **B** External strip (**protection**) made of reinforced elastomer with Kevlar fiber





LOCKING UNITS

L1-N

Locking units for cylinders and piston rods

L6

Locking Units for rodless cylinders S5 - VL1 series



ORIGINAL

Locking system
UNIVER Original since 1998

STATIC/DYNAMIC

Static locking and dynamic braking in a single device

POWERFUL

The highest locking force among market equivalent devices

SAFE

No rod slipping even if affected by oil and grease



PROGRAMMABLE PNEUMATIC ACTUATORS

NTZ

Pneumatic actuator with integrated digital measuring detector and safety locking device

NQZ

Pneumatic actuator with digital measuring system





PNEUMATIC GRIPPERS

YMA10/YMP10

Angular and Parallel Pneumatic Gripper

YMA20

Angular Pneumatic Gripper 180° YMP20

Parallel Pneumatic Gripper with Linear Guide

YMP30

Low Profile Parallel Pneumatic Gripper with Linear Guide











TELESCOPIC CYLINDERS

Telescopic cylinders 2 stages (RT2 Ø25 ÷ 63 mm) 3 stages (RT3 Ø40 ÷ 63 mm)



Telescopic Cylinder 2 stages

NFZ

Pneumatic actuator with integrated safety locking device



YMP40

Wide-type Parallel Pneumatic Gripper

YMP50

Self-centering 3 Jaw Pneumatic Gripper





PNEUMATIC AUTOMATION

HIGH-TECH

RT

ORIGINAL

UNIVER Original design and technology

INDUSTRIALIZED

Industrialized components and advanced technology

REDUCED DIMENSIONS

60% less than standard cylinders

NON-ROTATING

Anti-rotation octagonal tube





ELECTROPILOTS

B11-B10-B12

В

Α

ISO 15218 - 10 mm Nanovalves

B11 Standard

B10 Low consumption

B12 High flow rate

ISO 15218 - 15 mm Microvalves







10 mm Nanovalves









STANDARDS-BASED VALVES

BE/BE12

ISO 5599/1 Valves- Mixed and spool system



MIXED AND SPOOL SYSTEM

Versions with either mixed or spool system available for all series



MIXED for heavy applications



SPOOL for all applications

AC-N

NAMUR Valves


BD

ISO 15407-1/2 Valves





VALVES



AA AB

U1 Miniature Electropilots

U2 Miniature Electropilots





AE

ISO 5599/1 Light Series Valves

Size

1-2




ISO 01-02



ISO 15407-1/2 Valves

BDE

Integrated electrical connection (ISO 15407/2)





SPOOL VALVES



G7 G6

Valves and Solenoid Valves 26 mm - G1/8 20 mm - Valves and Solenoid Valves - Threaded body G1/8



POPPET VALVES

AF/AG CH

Poppet Valves for compressed air (AF) and for vacuum (AG) $G1/8 \div G1 1/2$



Poppet valves G1/8 2/2 - 3/2



Miniature Limit Switches (AI) JET series Pneumatic Switches (AI-JET) Valves with panel operation (AI-JET2)



AI/AI-JET



VALVES







AF/AG

Poppet system **UNIVER Original since 1973**

GL6

20 mm - Valves and Solenoid Valves - For sub-base mounting



MIXED Valves - AC series

MIXED SYSTEM

For heavy applications Fast commutation Large number of cycles High flow rate





Pneumatic and Solenoid **Foot Valves**

AC

MIXED Valves G1/8 - G1/4 - G1/2







COMPACT VALVES



10 mm COMPACT Valves - M5



P10B

10 mm COMPACT Valves - For sub-base mounting



P15F

P10F

15 mm COMPACT Valves - G1/8



15 mm COMPACT Valves - For sub-base mounting









P10F

10 mm COMPACT Valves **External connector**



In-line

CONNECTOR

P15F


15 mm COMPACT Valves **External connector**



In-line CONNECTOR P15EF



SERIAL SYSTEMS



PNEUMATIC AUTOMATION

VALVES

P10/P15

HIGH FLOW RATE

UNIVER traditional spool technology

COMPACT SIZE

Highest reduction of overall dimensions

EASY INSTALLATION

All pneumatic connections on the same side

COMPLETE SOLUTION

Threaded body and body for sub-base mounting

5/2 - 5/3 - 3/2+3/2





AIR TREATMENT UNITS

HZE-F

Filter size 0

HZE-R

Regulator size 0

HZE-L

Lubricator size 0

HZE-B

Filter regulator size 0







HZE-F

Filter size 1-2

HZE-R

Regulator size 1-2

HZE-L

Lubricator size 1-2

HZE-B

Filter regulator size 1-2









HZE-Y

Gradual starter size 0-1-2

HZE-N

Diverter block size 0-1-2

HZE-P

Lockable valve size 0-1-2

HZE-S

Shut-off valve size 0-1-2









AIR TREATMENT

MODULAR

40 mm (HZE0) 63 mm (HZE1) 80 mm (HZE2)

INTEGRATED GAUGE

Standard supplied

COMPLETE SOLUTION

Possibility of assembling combinations complete with accessories



Filter regulator + Lubricator size 0





Filter + Regulator + Lubricator

HZE-D

Filter regulator + Lubricator size 1-2



HZE-C

size 0

Filter + Regulator + Lubricator size 1-2





HZ9464G

Integrated square pressure gauge



Round gauge










AIR TREATMENT UNITS





AIR TREATMENT

Filter regulator with digital pressure switch



HZE0R08G

Regulator without manometer Size 0



HZE-RL

Lockable regulator size 1-2



HZE-R

Check valve Size 0-1-2



HZE-B

Check valve Size 0-1-2



HZE-S

Size 0 **U05**

Size 1 **U05**









HZRE10/20

Electro-pneumatic transducers

HZRM08G

Microregulators for air

HZRM...

Pressure Microregulators for air and water









FITTINGS AND TUBES



COMPLEMENTARY VALVES AND ACCESSORIES



AM-5200





AM-55

Blocking valve



Pneumoelectrical transducer




AM-5220

AM-54

ACCESSORIES









HFA/HFC

HFA Polyamide Spiral Tubes HFC Polyurethane Spiral Tubes









HZ9N HZ9N12 YF

Digital pressure Adjustable diaphragm G1/8 ÷ G1

pressure switch



switch









POWER CLAMPS

UBP

UNIVERSAL Pneumatic power clamp



UNIVERSAL Pneumatic power clamp

IBP

UNIVERSAL Pneumatic power clamp interchangeable with size 50/63 mm









UDP

Pneumatic power clamp with 2 arms

UBM/UBQ

UNIVERSAL Pneumatic power clamp with hand lever

IBM

Pneumatic power clamp with handlever interchangeable with size 50/63 mm

UBT

Pneumatic power clamp with central hand lever









DMS

Pneumatic power clamps conforming to the CNOMO Standard

UGP/UGM

Pneumatic gripper units (UGP) with hand lever (UGM)

LGP

Pneumatic gripper

PATENT PENDING











POWER CLAMPS GRIPPER UNITS

STEPLESS ADJUSTMENT

Opening angle adjustment 0 ÷ 135°

LIGHT-WEIGHT

Clamping arm and clamp housing in aluminium alloy

UNIVER ORIGINAL LINKAGE DESIGN

Ensures positional repeatability

UNIVER ORIGINAL METAL SENSOR

Metal case M12 swivel connector



UBS





UNP

Pneumatic power clamps conforming to the N.A.A.M.S. Standard



UFL/UHL

Manual power clamps



Pneumatic power clamps with handlever conforming to the N.A.A.M.S. Standard









Pneumatic Power Clamp applications





RETRACTABLE LOCATING PIN UNITS

LCP

Pneumatic retractable locating pin units with single rod





LCG

Pneumatic retractable locating pin units with single rod



LCZ

Pneumatic retractable locating pin units with single rod and toggle-joint mechanism



LCM

Pneumatic retractable locating pin unit with hand lever



Manual retractable locating pin unit



Pneumatic retractable locating pin unit with double rod and hand lever







PNEUMATIC PIN CLAMPS

LSP

Pneumatic pin clamp

LSP50U

Pneumatic pin clamp horizontal shape LTP

Pneumatic pin clamp with vanishing hook

LUP

Pneumatic pin clamp with vanishing hook and pin









AUTOMOTIVE

PIN UNITS PIN CLAMPS



Pneumatic retractable locating pin units with double rod





Pneumatic retractable locating pin units with double rod and toggle-joint mechanism



LCY

Pneumatic retractable locating pin unit with hand lever and toggle-joint mechanism



LCX

Pneumatic retractable locating pin unit with double rod and hand lever and toggle-joint mechanism



LSL

Manual pin clamp









Pneumatic Power Clamps and Pin Clamp applications



POWER PIVOTS

DMA

Pneumatic power pivots, CNOMO mounting



LAGP

Pneumatic power pivots







ELECTRIC UNITS

LAE

Electric power clamps

LNE

Electric power clamps, fixing conforming to the N.A.A.M.S. Standard

LGE


Electric gripper units











MARKING UNITS

PRP Pneumatic marking unit







Pneumatic and electric Power Clamp applications


AUTOMOTIVE

POWER PIVOTS MARKING UNITS ELECTRIC UNITS





GR8 MODULAR TOOLING SYSTEM




Ø 30 - 45 - 70 mm BOOMS

Maximum stiffness and minimun weight

LOCKING RING

Precise and efficient system to guarantee a high level of positional accuracy









MODULAR TOOLING SYSTEM GR8 TOOLING



HIGH PRECISION

High level of positional repeatability; low deflection

MODULAR COMPONENTS


Considerable reduction of mounting components

QUICK INSTALLATION AND SET UP

No welding or douweling required, easily replaceable components

FULLY ADJUSTABLE

Unlimited orientation in space and free configurations



BALL MOUNTING

Unlimited swivel rotation



KIT


Considerable reduction of mounting elements





GR8 MODULAR TOOLING SYSTEM

Applications and details of the components




Unlimited and complex configurations Weight-optimized standard components and brackets Quick installation and adjustment Modular components

MODULAR TOOLING SYSTEM GR8 TOOLING










COMPLETE SOLUTION WITH **UNIVER** COMPONENTS





UNIVER S.p.A.

Headquarters

I - 20128 **Milano** Via Eraclito, 31 Tel. +39 02 25298.1 Fax +39 02 2575254 info@univer-group.com www.univer-group.com

UNIVER SERVICE S.r.l.

Headquarters

I - 20128 **Milano**Via Empedocle, 20
Tel. +39 02 25298.1
Fax +39 02 25298370
universervice@universervice.it
www.universervice.it

Branch Offices

LOMBARDIA

I - 20128 **Milano**Via Empedocle, 20
Tel. +39 02 25298.1
Fax +39 02 25298370
universervice@universervice.it

I - 24060 Castelli Calepio **Bergamo** Via C. Curotti, 31/33 Tel. +39 030 7435420 Fax +39 030 733328 castellicalepio@universervice.it

I - 22040 Monguzzo **Como** Via Valassina, 18 Tel. +39 031 617922 Fax +39 031 651222 monguzzo@universervice.it

PIEMONTE/LIGURIA/VALLE D'AOSTA

I - 10071 Borgaro Torinese **Torino** Via Veneto, 18 Tel. +39 011 4501871 Fax +39 011 4502898 torino@universervice.it

VENETO/FRIULI VENEZIA-GIULIA TRENTINO-ALTO ADIGE

I - 30030 Vigonovo **Venezia** Via Prima strada 16/A - Loc. Galta Tel. +39 049 9834140 Fax +39 049 9833972 vigonovo@universervice.it

EMILIA ROMAGNA

I - 40069 Zola Predosa **Bologna** Via Guido Rossa, 21 Tel. +39 051 753907 Fax +39 051 6184751 bologna@universervice.it

CENTRO/SUD

I - 40069 Zola Predosa **Bologna** Via Guido Rossa, 21 Tel. +39 051 753907 Fax +39 051 6184751 bologna@universervice.it

UNIVER DO BRASIL S/A

BRAZIL - 13474-764 Americana São Paulo - SP Rua do Polyester, 29 Distrito Industrial Abdo Najar Tel. +55 19 3113-9400 Fax +55 19 3113-9405 atendimento@univer.com.br

UNIVER CHINA

CHINA - Shanghai 399 Fu Te North Road, Free Zone, Pudong info@univer-china.com

UNIVER FRANCE S.a.s.

FRANCE - 68000

Colmar 1, rue Denis Papin Tel. +33 03 89210900 Fax +33 03 89216850 info@univer-france.fr

UNIVER G.m.b.H. GERMANY - D-65428 **Rüsselsheim**Eisenstraße 51
Tel. +49 6142 40832-0
Fax +49 6142 40832-90

info@univer-gmbh.de

UNIVER NORTH AMERICA

USA - 48312 Sterling Heights - Michigan 6620 Cobb Drive Tel. +1 248 299 0525 Fax +1 248 299 0528 info@univer-group.us

UNIVER POLSKA Sp. z o.o. POLAND - 25-663 Kielce

ul. K. Olszewskiego 21E Tel. +48 41 278 72 53 Fax +48 41 278 72 54 univer@univer-group.pl

UNIVER S.L.

SPAIN - 08210
Barbera Del Valles Barcelona
Ronda Industria, 26 - 28
Tel. +34 93 7297360
Fax +34 93 7297380
univer@univerweb.com



Get in touch with UNIVER Sales Department or visit our website **www.univer-group.com**